

August 13, 2018

MIDDLETON ASSOCIATES INCORPORATED
1702 W. COLLEGE AVE., SUITE E
NORMAL, IL 61761-2793
309/452-1271 FAX 309/4654-8049

ADDENDUM NUMBER 3
TO THE DRAWINGS AND SPECIFICATIONS

PROJECT: Parkside Junior High School Bus Lane SouthWest

FOR: McLean Co. Unit District No. 5
1809 W. Hovey Ave.
Normal, IL 61761

A/E PROJECT NO: 19932213

ISSUE DATE: July 23, 2018

BID OPENING: **Thursday, August 16, 2018 – 10:00 a.m.**
District Warehouse, 1999 Eagle Rd., Normal, IL

THIS ADDENDUM DOES NOT CHANGE THE BID DATE.

Upon receipt of this ADDENDUM, insert same into the documents, which were issued to you. Hereafter, said ADDENDUM shall be as much a part of the said documents as though originally set forth therein.

17. TO THE SPECIFICATIONS: Section 03614 Concrete Paving & Surfacing: This addendum will modify paragraph 3.3.

- a. Delete Paragraph B Anti-Spalling Protection.
- b. Change Paragraph A.1. by removing the product W.R. Meadows Sealtight CS-309 and replacing with Sealtight 1100-Clear.
- c. Six weeks after the application of Sealtight 1100-Clear or during the Summer 2019, install the double yellow paint line described in Addendum 2, number 16.

18. TO THE SPECIFICATIONS: Section 02200 Earthwork & Backfill Section 2. C.1.:
Change sub-paragraph a to read: No aggregate larger than 1 1/2" will be accepted.

Add sub-paragraph b to read: Compaction to be 95% Procter.

END ADDENDUM NO. 3