

MIDDLETON ASSOCIATES INCORPORATED
1702 W. COLLEGE AVE., SUITE E
NORMAL, IL 61761-2793
309/452-1271 FAX 309/454-8049

April 4, 2018

ADDENDUM NUMBER 1
TO THE DRAWINGS AND SPECIFICATIONS

PROJECT: Deer Creek-Mackinaw High School 2018 Reroof

FOR: Deer Creek-Mackinaw CUSD #701
401 E. Fifth Street
Mackinaw, IL 61755

A/E PROJECT NO: 2351 1217

ISSUE DATE: March 28, 2018

BID OPENING: **THIS ADDENDUM DOES NOT CHANGE THE BID DATE.**

Upon receipt of this ADDENDUM, insert same into the documents, which were issued to you. Hereafter, said ADDENDUM shall be as much a part of the said documents as though originally set forth therein.

1. TO THE SPECIFICATIONS, Section 07 5323 EPDM Roofing:

- 1.10.A.2. Revise wording – delete reference to 15 year or 20 year warranty, insert base bid warranty is 25 year
- 1.10.B.1. Revise wording – delete reference to 15 year or 20 year warranty, insert base bid warranty is 25 year
- 2.2.A. Delete reference to “reinforced”. EPDM may be unreinforced 60 mil or 90 mil as allowed by manufacturer for 25 or 30 year warranty.
- 3.5.B.d. Delete reference batten strips, this project is adhered.
- 3. Execution: Pages 15 and 16

Revise paragraph numbers:

- 1.2 change to 3.6
- 1.3 change to 3.7
- 1.4 change to 3.8

END ADDENDUM NO. 1